



Lift



form

OFFER

ORDER

lift tipe

Customer _____ language _____

Customer ref. _____

Car Finish

wall

- plasticized plate color _____
- laminated plastic
- stainless steel
- glass half H glass full H side _____
- corner in plasticized plate and push button column in inox scotch brite (standard)
- corner and push button column in inox scotch brite

Floor

- linoleum floor _____
- granit _____
- floor plate _____
- lower floor H 20mm for floor customer

Light :

- spot (std)
- random
- neon light

Fittings

- Half wall mirror on car side side _____
- Half wall window on car side side _____
- handrail inox side _____
- handrail black side _____

Car doors Telcal Selcom Prisma Fermator

first type side _____

open _____ high _____

- 2 panel side opening dx sx
- 3 panel side opening dx sx
- 2 panel centre opening
- folding finishing _____

second type side _____

open _____ high _____

- 2 panel side opening dx sx
- 3 panel side opening dx sx
- 2 panel centre opening
- folding finishing _____

finishing plasticized plate laminated plastic stainless steel

color

Landing doors TI EFPE Selcom Prisma Fermator

first type side _____

- 2 panel side opening dx sx
- 3 panel side opening dx sx
- 2 panel centre opening
- swing dx sx

second type side _____

- 2 panel side opening dx sx
- 3 panel side opening dx sx
- 2 panel centre opening
- swing dx sx

finishing plasticized plate laminated plastic stainless steel

color

Floor door option

- do not supply frame (customer have to foreseen a specia on upper part for door key)
- door on floor: depht on floor (mm)
- over travell RAI 60 RAI 120 (fire resistant)



Lift



form

Customer _____
Customer ref. _____

OPTIONS - ACCESSORIES

lifts speed

speed (m/s) 0,5 0,6 _____

frame

colum 5m colum 2,5m

contol panel

SECURLIFT BEG

SOFT STARTER starting direct start delta

DM 236 (included)

Display

car main floor all floor

KEY

Key for landing push button _____ Key for car push button

IDRAULICA

Jack: 1 piece 2 pieces Block valve bottom top

oil tuboflex m _____

cabinet MI 2000 PR



Lift



form

Shaft


Customer _____

Customer ref. _____

staffa a tassellare

staffa a saldare

Shaft _____ stop _____ acces _____



HEAD _____ mm


TRAVEL _____ mm

ok

PIT _____ mm

net well
 A _____ mm
 B _____ mm

internal wide
 a _____ mm
 b _____ mm



LATO
 access A B C D
 jack

DATI TARGA
 load
 persons

Roomless box

A	mm
B	mm
floor	
LM	mm

customer
 address